

Shutters

Providing you the security & piece of mind you need

Contact our office staff now to discuss your security needs on:

Tel: 0800 137 683

or

Email: sales@britanniasecuritygroup.com



ABOUT US



Britannia Security & Maintenance is one of the UK's leading Security & Roller Shutter manufacturers & installers

Britannia Security & Maintenance Ltd have been manufacturing and supplying Roller shutter doors, window grilles, security fencing and other security products to commercial premises, shops, blue chip companies and many other industrial premises for over 35 years.

We pride ourselves on our commitment and professional workmanship at every stage of our service. From measurement and consultation, to the manufacture, supply, fitting and beyond, you are in safe hands.



OUR ADDRESS:

Unit 4J,
Crossley Park,
Crossley Rd,
Stockport
SK4 5BS

Contact our office staff now to discuss your security needs:

Tel: 0800 137 683

or

Email: enquiries@britanniasecuritygroup.com



Commercial Roller Shutters

At Britannia Security & Maintenance we offer you competitive pricing and in house manufacturing to suit your exact needs:

- Quick and efficient turn around time.
- Strength and durability achieved by using the highest quality raw materials.
- We provide a full roller shutter repair and maintenance service and a 24 hour emergency number for urgent repairs.
- 12 month guarantee - **extensions available with a servicing contract.**
- Pricing
- Bespoke

SHUTTER OPERATION:

- Manual: fitted with anti drill/pick bullet locks or central lock for dual operation (Max size 2m x 2m)
- Chain: via direct drive or geared ratio drive system (dependent on size)
- Motorised: via single phase tubular



STANDARD COMMERCIAL SHUTTER SPECIFICATIONS:

- 76mm 22 & 20 gauge galvanised steel curly lath (Variations available)
- L & T section bottom rail constructed from galvanised steel
- 64 & 100mm channels rolled mild steel
- 50 & 76mm x 6mm fixing angles rolled from mild steel
- Motor: Tubular
- **Channal Size:**
- FIRE RATED
- (product sizes dependent on size of shutter)



Contact our office staff now to discuss your security needs:

Tel: 0800 137 683

or

Email: enquiries@britanniasecuritygroup.com



Options & Extras

We provide a selection of options on our Commercial Roller Shutter Range, to best fit your property. As-well-as these options all the shutters can be powder coated any RAL colour, see next page:

CONTROL OPTIONS



Remote Control

Operate your security with a handheld remote control.



Rocker Switch

Simple Hold-to-Run design. Wireless option available



Key Pad

Electronic Key pad provides secure access to the users with the code.



Key Switch

Key based security, easy-to-use operation, Hold down to run operation.

WHAT SHUTTER IS SUITABLE FOR YOU?

Below is a list of our popular curtain slates for commercial properties:



Galvanised Steel

Standard option for medium to large commercial properties. Exceptional strength at a low budget.



Insulated Steel

A double skinned steel profile with a polyurethane insulating core, sound-proofing and insulation.



Perforated Steel

Single Steel Lath with perforated holes to transfer light. Exceptional strength, suitable for medium to large premises.



Block/Chain Lath

stacked in a Brick formation providing visuals and airflow into the premises as well as security.

Contact our office staff now to discuss your security needs:

Tel: 0800 137 683

or

Email: enquiries@britanniasecuritygroup.com



Industrial Roller Shutters

At Britannia Security & Maintenance we offer you competitive pricing and in house manufacturing to suit your exact needs:

- Quick and efficient turn around time.
- Strength and durability achieved by using the highest quality raw materials.
- We provide a full roller shutter repair and maintenance service and a 24 hour emergency number for urgent repairs.
- 12 month guarantee - **extensions available with a servicing contract.**
- Bespoke

STANDARD INDUSTRIAL SHUTTER SPECIFICATIONS:

- 76mm 22 & 20 gauge galvanised steel curly lath (Variations available)
- L & T section bottom rail constructed from galvanised steel
- 64 & 100mm channels rolled mild steel
- 50 & 76mm x 6mm fixing angles rolled from mild steel
- Motor: Tublar/Direct drive/Flange
- FIRE RATED
- (product sizes dependent on size of shutter)

SHUTTER OPERATION

- Manual: fitted with anti drill/pick bullet locks or central lock for dual operation
- Chain: via direct drive or geared ratio drive system (dependent on size)
- Motorised: via single phase tubular or single/three phase flange or shaft drive units



Contact our office staff now to discuss your security needs:

Tel: 0800 137 683

or

Email: sales@britanniasecuritygroup.com



Options & Extras

We provide a selection of options on our Industrial Roller Shutter Range, to best fit your property. As-well-as these options all the shutters can be powder coated any RAL colour, see next page:

CONTROL OPTIONS:




Remote Control

Operate your security with a handheld remote control. Our most popular option.



Rocker Switch

Simple Hold-to-Run design. Wireless option available



Key Pad

Electronic Key pad provides secure access to the users with the code.



Key Switch

Key based security, easy-to-use operation, Hold down to run operation.

WHAT SHUTTER IS SUITABLE FOR YOU?

Below is a list of our popular curtain slates for commercial properties:



Galvanised Steel

Standard option for medium to large commercial properties. Exceptional strength at a low budget.



Insulated Steel

A double skinned steel profile with a polyurethane insulating core, sound-proofing and insulation.



Perforated Steel

Single Steel Lath with perforated holes to transfer light. Exceptional strength, suitable for medium to large premises.



Block/Chain Lath

stacked in a Brick formation providing visuals and airflow into the premises as well as security.

Contact our office staff now to discuss your security needs:

Tel: 0800 137 683

or

Email: enquiries@britanniasecuritygroup.com



Domestic Roller Shutters

At Britannia Security & Maintenance our Domestic Shutter range are aesthetically appealing whilst providing your home with added security:

- Quick and efficient turn around time.
- Strength and durability achieved by using the highest quality raw materials.
- Our domestic shutters automatically lock when fully closed and provide an ideal barrier to keep out intruders & deter vandalism.
- We provide a full roller shutter repair and maintenance service and a 24 hour emergency number for urgent repairs.
- 12 month guarantee - **extensions available with a servicing contract.**

SHUTTER OPERATION

- Manual: operated via a strap, can be secured with center lock
- Motorised: via single phase tubular

STANDARD DOMESTIC SHUTTER SPECIFICATIONS:

- 44mm Extruded Aluminium lath + Aluminium frame
- Electrically operated
- Powder coated in house any RAL colour to suit
- Canopy
- Auto locks
- Aluminium bottom rail
- Key Switch/Rocker & Remote unit optional
- Canopy included



Contact our office staff now to discuss your security needs:

Tel: 0800 137 683

or

Email: sales@britanniasecuritygroup.com



Options & Extras

We provide a selection of options on our Domestic Roller Shutter Range, to best fit your property. As-well-as these options all the shutters can be powder coated any RAL colour, see next page:

CONTROL OPTIONS :



Remote Control

Operate your security with a handheld remote control. Our most popular option.



Rocker Switch

Simple Hold-to-Run design. Wireless option available



Key Pad

Electronic Key pad provides secure access to the users with the code.vv



Key Switch

Key based security, easy-to-use operation, Hold down to run operation.

WHAT SHUTTER IS SUITABLE FOR YOU?

Below is a list of our popular curtain slates for commercial properties:



Aluminium

Standard option for medium to large commercial properties. Exceptional strength at a low budget.



Insulated Steel

A double skinned steel profile with a polyutherene insulating core, sound-proofing and insulation.

Contact our office staff now to discuss your security needs:

Tel: 0800 137 683

or

Email: enquiries@britanniasecuritygroup.com



Colour Options

RAL 1000	RAL 1001	RAL 1002	RAL 1003	RAL 1004	RAL 1005	RAL 1006	RAL 1007	RAL 1011	RAL 1013	RAL 1020	RAL 1024
RAL 1025	RAL 1026	RAL 1027	RAL 1028	RAL 1029	RAL 1030	RAL 1031	RAL 1032	RAL 1034	RAL 1035	RAL 1037	RAL 1038
RAL 1039	RAL 1041	RAL 1042	RAL 1043	RAL 1044	RAL 1045	RAL 1046	RAL 1047	RAL 2000	RAL 2001	RAL 2002	RAL 2003
RAL 2004	RAL 2005	RAL 2006	RAL 2007	RAL 2008	RAL 2009	RAL 2010	RAL 2011	RAL 2012	RAL 2013	RAL 2014	RAL 2015
RAL 2016	RAL 2017	RAL 2018	RAL 2019	RAL 2020	RAL 2021	RAL 2022	RAL 2023	RAL 2024	RAL 2025	RAL 2026	RAL 2027
RAL 2028	RAL 2029	RAL 2030	RAL 2031	RAL 2032	RAL 2033	RAL 2034	RAL 2035	RAL 3000	RAL 3001	RAL 3002	RAL 3003
RAL 3004	RAL 3005	RAL 3006	RAL 3007	RAL 3008	RAL 3009	RAL 3010	RAL 3011	RAL 3012	RAL 3013	RAL 3014	RAL 3015
RAL 3016	RAL 3017	RAL 3018	RAL 3019	RAL 3020	RAL 3021	RAL 3022	RAL 3023	RAL 3024	RAL 3025	RAL 3026	RAL 3027
RAL 3028	RAL 3029	RAL 3030	RAL 3031	RAL 3032	RAL 3033	RAL 3034	RAL 3035	RAL 4001	RAL 4002	RAL 4003	RAL 4004
RAL 4005	RAL 4006	RAL 4007	RAL 4008	RAL 4009	RAL 4010	RAL 4011	RAL 4012	RAL 5000	RAL 5001	RAL 5002	RAL 5003
RAL 5004	RAL 5005	RAL 5006	RAL 5007	RAL 5008	RAL 5009	RAL 5010	RAL 5011	RAL 5012	RAL 5013	RAL 5014	RAL 5015
RAL 5016	RAL 5017	RAL 5018	RAL 5019	RAL 5020	RAL 5021	RAL 5022	RAL 5023	RAL 5024	RAL 5025	RAL 5026	RAL 5027
RAL 5028	RAL 5029	RAL 5030	RAL 5031	RAL 5032	RAL 5033	RAL 5034	RAL 5035	RAL 5036	RAL 5037	RAL 5038	RAL 5039
RAL 5040	RAL 5041	RAL 5042	RAL 5043	RAL 5044	RAL 5045	RAL 5046	RAL 5047	RAL 5048	RAL 5049	RAL 5050	RAL 5051
RAL 5052	RAL 5053	RAL 5054	RAL 5055	RAL 5056	RAL 5057	RAL 5058	RAL 5059	RAL 5060	RAL 5061	RAL 5062	RAL 5063
RAL 5064	RAL 5065	RAL 5066	RAL 5067	RAL 5068	RAL 5069	RAL 5070	RAL 5071	RAL 5072	RAL 5073	RAL 5074	RAL 5075
RAL 5076	RAL 5077	RAL 5078	RAL 5079	RAL 5080	RAL 5081	RAL 5082	RAL 5083	RAL 5084	RAL 5085	RAL 5086	RAL 5087
RAL 5088	RAL 5089	RAL 5090	RAL 5091	RAL 5092	RAL 5093	RAL 5094	RAL 5095	RAL 5096	RAL 5097	RAL 5098	RAL 5099
RAL 6000	RAL 6001	RAL 6002	RAL 6003	RAL 6004	RAL 6005	RAL 6006	RAL 6007	RAL 6008	RAL 6009	RAL 6010	RAL 6011
RAL 6012	RAL 6013	RAL 6014	RAL 6015	RAL 6016	RAL 6017	RAL 6018	RAL 6019	RAL 6020	RAL 6021	RAL 6022	RAL 6023
RAL 6024	RAL 6025	RAL 6026	RAL 6027	RAL 6028	RAL 6029	RAL 6030	RAL 6031	RAL 6032	RAL 6033	RAL 6034	RAL 6035
RAL 6036	RAL 6037	RAL 6038	RAL 6039	RAL 6040	RAL 6041	RAL 6042	RAL 6043	RAL 6044	RAL 6045	RAL 6046	RAL 6047
RAL 6048	RAL 6049	RAL 6050	RAL 6051	RAL 6052	RAL 6053	RAL 6054	RAL 6055	RAL 6056	RAL 6057	RAL 6058	RAL 6059
RAL 6060	RAL 6061	RAL 6062	RAL 6063	RAL 6064	RAL 6065	RAL 6066	RAL 6067	RAL 6068	RAL 6069	RAL 6070	RAL 6071
RAL 6072	RAL 6073	RAL 6074	RAL 6075	RAL 6076	RAL 6077	RAL 6078	RAL 6079	RAL 6080	RAL 6081	RAL 6082	RAL 6083
RAL 6084	RAL 6085	RAL 6086	RAL 6087	RAL 6088	RAL 6089	RAL 6090	RAL 6091	RAL 6092	RAL 6093	RAL 6094	RAL 6095
RAL 6096	RAL 6097	RAL 6098	RAL 6099	RAL 7000	RAL 7001	RAL 7002	RAL 7003	RAL 7004	RAL 7005	RAL 7006	RAL 7007
RAL 7008	RAL 7009	RAL 7010	RAL 7011	RAL 7012	RAL 7013	RAL 7014	RAL 7015	RAL 7016	RAL 7017	RAL 7018	RAL 7019
RAL 7020	RAL 7021	RAL 7022	RAL 7023	RAL 7024	RAL 7025	RAL 7026	RAL 7027	RAL 7028	RAL 7029	RAL 7030	RAL 7031
RAL 7032	RAL 7033	RAL 7034	RAL 7035	RAL 7036	RAL 7037	RAL 7038	RAL 7039	RAL 7040	RAL 7041	RAL 7042	RAL 7043
RAL 7044	RAL 7045	RAL 7046	RAL 7047	RAL 7048	RAL 7049	RAL 7050	RAL 7051	RAL 7052	RAL 7053	RAL 7054	RAL 7055
RAL 7056	RAL 7057	RAL 7058	RAL 7059	RAL 7060	RAL 7061	RAL 7062	RAL 7063	RAL 7064	RAL 7065	RAL 7066	RAL 7067
RAL 7068	RAL 7069	RAL 7070	RAL 7071	RAL 7072	RAL 7073	RAL 7074	RAL 7075	RAL 7076	RAL 7077	RAL 7078	RAL 7079
RAL 7080	RAL 7081	RAL 7082	RAL 7083	RAL 7084	RAL 7085	RAL 7086	RAL 7087	RAL 7088	RAL 7089	RAL 7090	RAL 7091
RAL 7092	RAL 7093	RAL 7094	RAL 7095	RAL 7096	RAL 7097	RAL 7098	RAL 7099	RAL 8000	RAL 8001	RAL 8002	RAL 8003
RAL 8004	RAL 8005	RAL 8006	RAL 8007	RAL 8008	RAL 8009	RAL 8010	RAL 8011	RAL 8012	RAL 8013	RAL 8014	RAL 8015
RAL 8016	RAL 8017	RAL 8018	RAL 8019	RAL 8020	RAL 8021	RAL 8022	RAL 8023	RAL 8024	RAL 8025	RAL 8026	RAL 8027
RAL 8028	RAL 8029	RAL 8030	RAL 8031	RAL 8032	RAL 8033	RAL 8034	RAL 8035	RAL 8036	RAL 8037	RAL 8038	RAL 8039
RAL 8040	RAL 8041	RAL 8042	RAL 8043	RAL 8044	RAL 8045	RAL 8046	RAL 8047	RAL 8048	RAL 8049	RAL 8050	RAL 8051
RAL 8052	RAL 8053	RAL 8054	RAL 8055	RAL 8056	RAL 8057	RAL 8058	RAL 8059	RAL 8060	RAL 8061	RAL 8062	RAL 8063
RAL 8064	RAL 8065	RAL 8066	RAL 8067	RAL 8068	RAL 8069	RAL 8070	RAL 8071	RAL 8072	RAL 8073	RAL 8074	RAL 8075
RAL 8076	RAL 8077	RAL 8078	RAL 8079	RAL 8080	RAL 8081	RAL 8082	RAL 8083	RAL 8084	RAL 8085	RAL 8086	RAL 8087
RAL 8088	RAL 8089	RAL 8090	RAL 8091	RAL 8092	RAL 8093	RAL 8094	RAL 8095	RAL 8096	RAL 8097	RAL 8098	RAL 8099
RAL 9000	RAL 9001	RAL 9002	RAL 9003	RAL 9004	RAL 9005	RAL 9006	RAL 9007	RAL 9008	RAL 9009	RAL 9010	RAL 9011
RAL 9012	RAL 9013	RAL 9014	RAL 9015	RAL 9016	RAL 9017	RAL 9018	RAL 9019	RAL 9020	RAL 9021	RAL 9022	RAL 9023

Contact our office staff now to discuss your security needs:

Tel: 0800 137 683

or

Email: sales@britanniasecuritygroup.com